

Product datasheet for TA364507

https://www.origene.com

techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

KIF3A Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Mouse brain and human fetal brain tissue, human brain malignant

glioma tissue IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Rabbit Host: Isotype: lgG

Clonality: Polyclonal

Immunogen: Fusion protein of human KIF3A

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year **Predicted Protein Size:** 80 kDa

Gene Name: kinesin family member 3A Database Link: Entrez Gene 11127 Human

Q9Y496






Background:

Kinesin-like protein KIF3A is a protein that in humans is encoded by the KIF3A gene. Members of the heterotrimeric kinesin II family of microtubule associated motors generally contain two different motor subunits from the KIF3 family, which includes KIF3A, B and C. KIF3 isoforms mediate anterograde transport of membrane bound organelles in neurons and melanosomes, transport between the endoplasmic reticulum and the Golgi, and transport of protein complexes within cilia and flagella required for their morphogenesis. KIF3A may influence neurogenesis at the level of embryonic cellular events, where the asymmetry of the genetic control circuit controlling left-right (L-R) axis determination is defined. Loss of KIF3A function in mice photoreceptors causes apoptotic cell death, suggesting that kinesin II mediated transport is required for proper cell fate.

Synonyms: KIF3

Product images:






Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-3: Mouse brain tissue
human fetal brain tissue
human brain malignant glioma tissue
Primary antibody: TA364507 (KIF3A Antibody) at
dilution 1/500
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution


Exposure time: 1 second

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA364507 (KIF3A Antibody) at dilution 1/25 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA364507 (KIF3A Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA364507 (KIF3A Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA364507 (KIF3A Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)