

## **Product datasheet for TA364511**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Lamin B1 (LMNB1) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: Hela and HT-29 cells, human fetal liver tissue and 231 cells, K562 cells

and human bladder transitional cells carcinoma tissue

IHC: 100-300

Positive control: Human cervical cancer

Predicted cell location: Nucleus and Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Fusion protein of human LMNB1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 67 kDa
Gene Name: lamin B1

Database Link: Entrez Gene 4001 Human

P20700






#### Background:


The nuclear lamina consists of a two-dimensional matrix of proteins located next to the inner nuclear membrane. The lamin family of proteins make up the matrix and are highly conserved in evolution. During mitosis, the lamina matrix is reversibly disassembled as the lamin proteins are phosphorylated. Lamin proteins are thought to be involved in nuclear stability, chromatin structure and gene expression. Vertebrate lamins consist of two types, A and B. This gene encodes one of the two B type proteins, B1. Alternative splicing results in transcript variants and a duplication of this gene is associated with autosomal dominant adult-onset leukodystrophy (ADLD).

Synonyms:

ADLD; LMN; LMN2; LMNB; MGC111419

# **Product images:**






Gel: 6%SDS-PAGE
Lysate: 40 µg
Lane 1-6: Hela cells
HT29 cells
human fetal liver tissue
231 cells
K562 cells
human bladder transitional cell carcinoma tissue
Primary antibody: TA364511 (LMNB1 Antibody) at
dilution 1/750
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution


Exposure time: 1 second

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA364511 (LMNB1 Antibody) at dilution 1/60 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA364511 (LMNB1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA364511 (LMNB1 Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA364511 (LMNB1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)