

Product datasheet for TA364621S

ATG4C Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: Mouse heart tissue IHC: 25-100 Positive control: Human brain Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human ATG4C
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	52 kDa
Gene Name:	autophagy related 4C cysteine peptidase
Database Link:	<u>Entrez Gene 84938 Human</u> <u>Q96DT6</u>

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Image: Synonyms:ATG4C Rabbit Polyclonal Antibody - TA364621SBackground:Autophagy is the process by which endogenous proteins and damaged organelles are
destroyed intracellularly. Autophagy is postulated to be essential for cell homeostasis and cell
remodeling during differentiation, metamorphosis, non-apoptotic cell death, and aging.
Reduced levels of autophagy have been described in some malignant tumors, and a role for
autophagy in controlling the unregulated cell growth linked to cancer has been proposed.
This gene encodes a member of the autophagin protein family. The encoded protein is also
designated as a member of the C-54 family of cysteine proteases. Alternate transcriptional
splice variants, encoding the same protein, have been characterized.Synonyms:APG4-C; APG4C; AUTL1; AUTL3; autophagin-3; FLJ14867

Product images:




Gel: 6%SDS-PAGE Lysate: 40 µg Lane: Mouse heart tissue Primary antibody: [TA364621] (ATG4C Antibody) at dilution 1/200 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 20 seconds



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA364621] (ATG4C Antibody) at dilution 1/20 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA364621] (ATG4C Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA364621] (ATG4C Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA364621] (ATG4C Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US