

## **Product datasheet for TA364631S**

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **FACL4 (ACSL4) Rabbit Polyclonal Antibody**

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hepg2, hela and 293T cells, human fetal kidney tissue

IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human ACSL4

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 79 kDa

**Gene Name:** acyl-CoA synthetase long-chain family member 4

Database Link: Entrez Gene 2182 Human

O60488

**Background:** The protein encoded by this gene is an isozyme of the long-chain fatty-acid-coenzyme A

ligase family. Although differing in substrate specificity, subcellular localization, and tissue distribution, all isozymes of this family convert free long-chain fatty acids into fatty acyl-CoA esters, and thereby play a key role in lipid biosynthesis and fatty acid degradation. This isozyme preferentially utilizes arachidonate as substrate. The absence of this enzyme may contribute to the mental retardation or Alport syndrome. Alternative splicing of this gene

generates 2 transcript variants.






Synonyms: ACS4; FACL4; LACS4; MRX63; MRX68

# **Product images:**






Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-4: Hepg2 cells
hela cells
293T cells
human fetal kidney tissue
Primary antibody: [TA364631] (ACSL4 Antibody)
at dilution 1/225
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 15 seconds

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA364631] (ACSL4 Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA364631] (ACSL4 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)