

## **Product datasheet for TA364637S**

## **PGK2 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: HepG2, 293T, hela and NIH/3T3 cells

IHC: 50-200

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human PGK2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 45 kDa

Gene Name: phosphoglycerate kinase 2

Database Link: Entrez Gene 5232 Human

P07205

**Background:** This gene is intronless, arose via retrotransposition of the phosphoglycerate kinase 1 gene,

and is expressed specifically in the testis. Initially assumed to be a pseudogene, the encoded

protein is actually a functional phosphoglycerate kinase that catalyzes the reversible

conversion of 1,3-bisphosphoglycerate to 3-phosphoglycerate, during the Embden-Meyerhof-

Parnas pathway of glycolysis, in the later stages of spermatogenesis.

Synonyms: dJ417L20.2; PGK-2; PGKB; PGKPS




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**







Gel: 10%SDS-PAGE
Lysate: 40 µg
Lane 1-4: HepG2 cells
293T cells
hela cells
NIH/3T3 cells
Primary antibody: [TA364637] (PGK2 Antibody) at dilution 1/600
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 5 seconds

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA364637] (PGK2 Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA364637] (PGK2 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA364637] (PGK2 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA364637] (PGK2 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)