

### **Product datasheet for TA364684**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Breast cancer suppressor candidate 1 (VWA5A) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 100-300

Positive control: Human cervical cancer

Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human VWA5A

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** von Willebrand factor A domain containing 5A

Database Link: Entrez Gene 4013 Human

O00534




Background:


VWA5A (von Willebrand factor A domain containing 5A), also known as BCSC-1 (breast cancer suppressor candidate 1) or LOH11CR2A (loss of heterozygosity 11 chromosomal region 2 gene A protein), is a 786 amino acid protein containing one VIT domain and one VWFA domain. VWA5A is expressed at low levels in various tissues, with no expression found in 80% of tumor cell lines. Likely acting as a tumor suppressor gene, deletion of VWA5A leads to loss of heterozygosity (LOH) in breast and ovarian tumors, and may have an important role as a potential gene therapy target. Abnormal expression of VWA5A may lead to an increase in adhesion of CNE-2L2 cells associated with an increase in expression of E-cadherin, alphacatenin, and p53, resulting in a decrease of malignant activity in cells with ectopic expression of VWA5A.

Synonyms: BCSC-1; BCSC1; LOH11CR2A

# **Product images:**




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA364684 (VWA5A Antibody) at dilution 1/80 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA364684 (VWA5A Antibody) at dilution 1/80, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA364684 (VWA5A Antibody) at dilution 1/80 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA364684 (VWA5A Antibody) at dilution 1/80, treated with fusion protein. (Original magnification: ×200)