

## **Product datasheet for TA364687**

## **KCNMA1 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human cervical cancer

Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human KCNMA1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** potassium calcium-activated channel subfamily M alpha 1

Database Link: <u>Entrez Gene 3778 Human</u>

Q12791

**Background:** MaxiK channels are large conductance, voltage and calcium-sensitive potassium channels

which are fundamental to the control of smooth muscle tone and neuronal excitability. MaxiK channels can be formed by 2 subunits: the pore-forming alpha subunit, which is the product of this gene, and the modulatory beta subunit. Intracellular calcium regulates the physical association between the alpha and beta subunits. Alternatively spliced transcript variants

encoding different isoforms have been identified.

Synonyms: bA205K10.1; BKTM; DKFZp686K1437; hSlo; K(VCA)alpha; KCa1.1; KCNMA; MaxiK; MGC71881;

mSLO1; SAKCA; SLO; SLO-ALPHA; Slo1




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA364687 (KCNMA1 Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA364687 (KCNMA1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA364687 (KCNMA1 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA364687 (KCNMA1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)