

## **Product datasheet for TA364758S**

## **DMRT3 Rabbit Polyclonal Antibody**

**Product data:** 

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse stomach and brain tissue

IHC: 25-100

Positive control: Human gasrtic cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human DMRT3

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C.

Stability: 1 year

**Predicted Protein Size:** 51 kDa

**Gene Name:** doublesex and mab-3 related transcription factor 3

Database Link: Entrez Gene 58524 Human

Q9NQL9



9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn





**Background:** 

The DMRT (doublesex and mab-3 related transcription factor) genes encode a large family of transcription factors that are related to the Drosophila doublesex proteins. Expressed primarily in the gonads, DMRT proteins contain cysteine-rich DNA-binding motifs and are thought to play an important role in sexual development. DMRT3 (doublesex and mab-3 related transcription factor 3), also known as DMRTA3, is a 472 amino acid protein that contains one DM DNA-binding domain and belongs to the DMRT family. Localized to the nucleus, DMRT3 is expressed specifically in testis and is thought to regulate transcriptional events during early sexual development. The gene encoding DMRT3 maps to human chromosome 9, which houses over 900 genes and comprises nearly 4% of the human genome. Hereditary hemorrhagic telangiectasia, which is characterized by harmful vascular defects, and Familial dysautonomia, are both associated with chromosome 9. Notably, chromosome 9 encompasses the largest interferon family gene cluster.

Synonyms:

DMRTA3; MGC142144

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 µg

Lane 1-2: Mouse stomach tissue

Mouse brain tissue

Primary antibody: [TA364758] (DMRT3


Antibody) at dilution 1/550

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 40 seconds






Immunohistochemistry of paraffinembedded Human gasrtic cancer tissue using [TA364758] (DMRT3 Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffinembedded Human gasrtic cancer tissue using [TA364758] (DMRT3 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffinembedded Human brain tissue using [TA364758] (DMRT3 Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffinembedded Human brain tissue using [TA364758] (DMRT3 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)