

Product datasheet for TA364855S

Importin4 (IPO4) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Hela cells and human testis tissue, A549, Jurkat and K562 cells IHC: 50-200 Positive control: Human colon cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human IPO4
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	119 kDa
Gene Name:	importin 4
Database Link:	<u>Entrez Gene 79711 Human</u> <u>Q8TEX9</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Importin4 (IPO4) Rabbit Polyclonal Antibody - TA3648555Background:Importin-4 is a protein that in humans is encoded by the IPO4 gene. Functions in nuclear
protein import as nuclear transport receptor. Serves as receptor for nuclear localization
signals (NLS) in cargo substrates. Is thought to mediate docking of the importin/substrate
complex to the nuclear pore complex (NPC) through binding to nucleoporin and the complex
is subsequently translocated through the pore by an energy requiring, Ran-dependent
mechanism. At the nucleoplasmic side of the NPC, Ran binds to the importin, the
importin/substrate complex dissociates and importin is re-exported from the nucleus to the
cytoplasm where GTP hydrolysis releases Ran.Synonyms:FLJ23338; Imp4; Imp4b; Importin-4b; MGC131665; RANBP4

Product images:




Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-5: Hela cells human testis tissue A549 cells Jurkat cells K562 cells Primary antibody: [TA364855] (IPO4 Antibody) at dilution 1/550 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 40 seconds



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA364855] (IPO4 Antibody) at dilution 1/50 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA364855] (IPO4 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA364855] (IPO4 Antibody) at dilution 1/50 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA364855] (IPO4 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US