

Product datasheet for TA364881S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Malignant T cell amplified sequence 1 (MCTS1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Jurkat and K562 cells, PC3 and A549 cells

IHC: 50-200

Positive control: Human colon cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human MCTS1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 21 kDa

Gene Name: malignant T-cell amplified sequence 1

Database Link: Entrez Gene 28985 Human

Q9ULC4






Background:

MCTS1 (malignant T cell amplified sequence 1), also known as MCT1, is a 181 amino acid protein that is ubiquitously expressed and localizes to the cytoplasm of cells. MCTS1 may play a role in cell cycle regulation by decreasing cell doubling time and by shortening the duration of G1 transit time and G1/S transition. The protein level of Cdk4 and Cdk6 kinases activity and cyclin D1 is enhanced by expression of MCTS1. As a translation enhancer, MCTS1 recruits DENR and binds to the cap complex of the 5'-terminus of mRNAs, subsequently altering the mRNA translation profile. MCTS1 promotes lymphoid tumor development and contributes to the pathogenesis and progression of breast cancer. MCTS1 positively regulates phosphorylation of ERK1 and ERK2.

Synonyms:

FLJ39637; MCT-1; MCT1

Product images:



Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-4: Jurkat cells

K562 cells PC3 cells A549 cells


Primary antibody: [TA364881] (MCTS1 Antibody)

at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 3 minutes




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA364881] (MCTS1 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA364881] (MCTS1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA364881] (MCTS1 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA364881] (MCTS1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)