

Product datasheet for TA364940S

TMPRSS2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse kidney tissue lysate

IHC: 50-100

Positive control: Human tonsil Predicted cell location: Secreted

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human TMPRSS2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 54 kDa

Gene Name: transmembrane protease, serine 2

Database Link: Entrez Gene 7113 Human

<u>O15393</u>

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






Background:

This gene encodes a protein that belongs to the serine protease family. The encoded protein contains a type II transmembrane domain, a receptor class A domain, a scavenger receptor cysteine-rich domain and a protease domain. Serine proteases are known to be involved in many physiological and pathological processes. This gene was demonstrated to be upregulated by androgenic hormones in prostate cancer cells and down-regulated in androgen-independent prostate cancer tissue. The protease domain of this protein is thought to be cleaved and secreted into cell media after autocleavage. This protein also facilitates entry of viruses into host cells by proteolytically cleaving and activating viral envelope glycoproteins. Viruses found to use this protein for cell entry include Influenza virus and the human coronaviruses HCoV-229E, MERS-CoV, SARS-CoV and SARS-CoV-2 (COVID-19 virus). Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Synonyms:

epitheliasin; OTTHUMP00000207917; PP9284; PRSS10

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Mouse kidney tissue lysate Primary antibody: [TA364940] (TMPRSS2


Antibody) at dilution 1/300


Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 1 minute









Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA364940] (TMPRSS2 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)