

Product datasheet for TA365154S

WDR77 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela, Incap, NIH/3T3, K562 and 231 cell

IHC: 25-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human WDR77

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 37 kDa

Gene Name: WD repeat domain 77

Database Link: Entrez Gene 79084 Human

Q9BQA1

Background: WDR77 is a component of the 20S PRMT5 (MIM 604045)-containing methyltransferase

complex, which modifies specific arginines to dimethylarginines in several spliceosomal Sm proteins (see MIM 601061). This modification targets Sm proteins to the survival of motor neurons (SMN) complex (see MIM 600354) for assembly into small nuclear ribonucleoprotein

core particles (Friesen et al., 2002 [PubMed 11756452]).

Synonyms: HKMT1069; MEP-50; MGC2722; Nbla10071; p44; p44/Mep50; RP11-552M11.3




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:







Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-5: Hela
Incap
NIH/3T3
K562 and 231 cell
Primary antibody: [TA365154] (WDR77 Antibody)
at dilution 1/500
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 40 seconds

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA365154] (WDR77 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA365154] (WDR77 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA365154] (WDR77 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA365154] (WDR77 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)