

# Product datasheet for TA365227

# **ZNF621 Rabbit Polyclonal Antibody**

# **Product data:**

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 25-100 Positive control: Human esophagus cancer Predicted cell location: Nucleus
Reactivity:	Human
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human ZNF621
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Gene Name:	zinc finger protein 621
Database Link:	<u>Entrez Gene 285268 Human</u> <u>Q6ZSS3</u>

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **GRIGENE** ZNF621 Rabbit Polyclonal Antibody – TA365227


Background:Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most<br/>of which encompass some form of transcriptional activation or repression. The majority of<br/>zinc-finger proteins contain a Krüppel-type DNA binding domain and a KRAB domain, which is<br/>thought to interact with KAP1, thereby recruiting histone modifying proteins. As a member of<br/>the krueppel C2H2-type zinc-finger protein family, ZNF621 (Zinc finger protein 621) is a 439<br/>amino acid nuclear protein that contains one KRAB domain and seven C2H2-type zinc fingers.<br/>The gene encoding ZNF621 maps to human chromosome 3, which is made up of about 214<br/>million bases encoding over 1,100 genes, including a chemokine receptor (CKR) gene cluster<br/>and a variety of human cancer-related gene loci. Marfan Syndrome, porphyria, von Hippel-<br/>Lindau syndrome, osteogenesis imperfecta and Charcot-Marie-Tooth Disease are a few of the<br/>numerous genetic diseases associated with chromosome 3. There are two isoforms of<br/>ZNF621 that are produced as a result of alternative splicing events. May be involved in<br/>transcriptional regulation.

Synonyms: DKFZp686B11107; FLJ23786; FLJ45246; MGC126668

## **Product images:**



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA365227 (ZNF621 Antibody) at dilution 1/20 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA365227 (ZNF621 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US