

Product datasheet for **TA365307S**

COMMD10 Rabbit Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: HEPG2,293T and Hela cell lysates IHC: 25-100 Positive control: Human liver cancer Predicted cell location: Cytoplasm or Nucleus
Reactivity:	Human, Mouse
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human COMMD10
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	23 kDa
Gene Name:	COMM domain containing 10
Database Link:	Entrez Gene 51397 Human Q9Y6G5
Background:	May modulate activity of cullin-RING E3 ubiquitin ligase (CRL) complexes (PubMed:21778237). May down-regulate activation of NF-kappa-B (PubMed:15799966).
Synonyms:	FLJ11285; PTD002




[View online »](#)


Product images:




Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-3: HEPG2
293T and Hela cell lysates
Primary antibody: [TA365307] (COMMD10
Antibody) at dilution 1/250
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 1 minute




Immunohistochemistry of paraffin-embedded
Human liver cancer tissue using [TA365307]
(COMMD10 Antibody) at dilution 1/30 (Original
magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA365307] (COMMD10 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA365307] (COMMD10 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA365307] (COMMD10 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)