

Product datasheet for TA365325

Major Basic Protein (PRG2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human placenta tissue lysate

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Secreted

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human PRG2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 25 kDa

Gene Name: proteoglycan 2, bone marrow (natural killer cell activator, eosinophil granule major basic

protein)

Database Link: Entrez Gene 5553 Human

P13727



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

The protein encoded by this gene is the predominant constituent of the crystalline core of the eosinophil granule. High levels of the proform of this protein are also present in placenta and pregnancy serum, where it exists as a complex with several other proteins including pregnancy-associated plasma protein A (PAPPA), angiotensinogen (AGT), and C3dg. This protein may be involved in antiparasitic defense mechanisms as a cytotoxin and helminthotoxin, and in immune hypersensitivity reactions. The encoded protein contains a peptide that displays potent antimicrobial activity against Gram-positive bacteria, Gramnegative bacteria, and fungi. It is directly implicated in epithelial cell damage, exfoliation, and bronchospasm in allergic diseases. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Synonyms: BMPG; MBP; MBP1; MGC14537

Product images:




Gel: 12%SDS-PAGE Lysate: 40 µg Lane: Human placenta tissue lysate

Primary antibody: TA365325 (PRG2 Antibody) at dilution 1/800

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 2 minutes



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA365325 (PRG2 Antibody) at dilution 1/110 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA365325 (PRG2 Antibody) at dilution 1/110, treated with fusion protein. (Original magnification: ×200)