

## Product datasheet for TA365448

## VSX1 Rabbit Polyclonal Antibody

## **Product data:**

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Applications:IPCApplications:IPCRecommended Dilution:IPCDistive control: Human lung cancer Predicted cell location: NucleusReactivity:HumanHomanRabitHost:RabitIsotope:IgGClonality:PolyclonalImmunogen:Pix10 PMS, 0.05% NaN3, 40% GlycerolFormulation:pix14 PBS, 0.05% NaN3, 40% GlycerolPornetation:0 Hosperification:Pornetation:0 Hosperification:Young and Sing application:UnconjugatedPornetation:0 Hosperification:Storage:Natige and Finity purificationStorage:1 yearGene Name:Sicola Sitta Human ONZRAPatabase Link:Encres Gene 30813 Human ONZRABackground:The protein encoded py this gene contains a paired-like homeodomain and binds to the coder grave gualate expression of the red/graen visual gingment gene cluster. The encoded protein save grave acuase posterior polymorphous corneal dystrophy and keratopus. Alternative singer save grave acuase posterior polymorphous corneal dystrophy and keratopus. Alternative singer save grave acuase posterior polymorphous corneal dystrophy and keratopus. Alternative singer save singer dystrophy and keratopus. Alternative singer save singer dystrophy and keratopus. Alternative singer dyst	Product Type:	Primary Antibodies
Positive control: Human lung cancer Predicted cell location: NucleusReactivity:HumanHomanRabitIsotype:IgGIonality:PolyclonalImmunogen:IpT-4 PBS, 0.05% NAN3, 40% GlycerolFormulation:Iot specificPourfication:Iot specificIononjugatedInconjugatedStorage:Stora at -20°C.Stability:1 yearGene Name:Intere Gene 30813 Human OyNZRABackground:Storage:Iot specific expression of the red/green visual pigment gene cluster. The encoded protein or spice dranschipt sp	Applications:	IHC
Host:RabbitIsotype:IgGClonality:PolyclonalImmunogen:Fusion protein of human VSX1Formulation:pH7.4 PBS, 0.05% NaN3, 40% GlycerolConcentration:lot specificPurification:Antigen affinity purificationConjugation:UnconjugatedStorage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human ONZRABackground:Ne protein encoded by this gene contains a paired-like homeodomain and binds to the core op sing encan cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spileed transcript variants encoding different isoforms have been described.	Recommended Dilution:	Positive control: Human lung cancer
Isotype:IgGClonality:PolyclonalImmunogen:Fusion protein of human VSX1Formulation:pH7.4 PBS, 0.05% NaN3, 40% GlycerolConcentration:lot specificPurification:Natigen affinity purificationConjugation:UnconjugatedStorage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human ONZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Reactivity:	Human
Clonality:PolyclonalImmunogen:Fusion protein of human VSX1Formulation:pH7.4 PBS, 0.05% NaN3, 40% GlycerolConcentration:lot specificPurification:Antigen affinity purificationConjugation:UnconjugatedStorage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human O9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Host:	Rabbit
Immunogen:Fusion protein of human VSX1Formulation:pH7.4 PBS, 0.05% NaN3, 40% GlycerolConcentration:lot specificPurification:Antigen affinity purificationConjugation:UnconjugatedStorage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human O9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	lsotype:	lgG
Formulation:pH7.4 PBS, 0.05% NaN3, 40% GlycerolConcentration:lot specificPurification:Antigen affinity purificationConjugation:UnconjugatedStorage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human Q9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Clonality:	Polyclonal
Concentration:lot specificPurification:Antigen affinity purificationConjugation:UnconjugatedStorage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human Q9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Immunogen:	Fusion protein of human VSX1
Purification:Antigen affinity purificationConjugation:UnconjugatedStorage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human Q9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Conjugation:UnconjugatedStorage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human Q9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Concentration:	lot specific
Storage:Store at -20°C.Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human Q9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Purification:	Antigen affinity purification
Stability:1 yearGene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human O9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Conjugation:	Unconjugated
Gene Name:visual system homeobox 1Database Link:Entrez Gene 30813 Human Q9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Storage:	Store at -20°C.
Database Link:Entrez Gene 30813 Human Q9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Stability:	1 year
Q9NZR4Background:The protein encoded by this gene contains a paired-like homeodomain and binds to the core of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Gene Name:	visual system homeobox 1
of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively spliced transcript variants encoding different isoforms have been described.	Database Link:	
Synonyms: KTCN; PPCD; PPD; RINX	Background:	of the locus control region of the red/green visual pigment gene cluster. The encoded protein may regulate expression of the cone opsin genes early in development. Mutations in this gene can cause posterior polymorphous corneal dystrophy and keratoconus. Alternatively
	Synonyms:	KTCN; PPCD; PPD; RINX




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US SX1 Rabbit Polyclonal Antibody – TA365448

## **Product images:**




Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA365448 (VSX1 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA365448 (VSX1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA365448 (VSX1 Antibody) at dilution 1/30 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA365448 (VSX1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US