

## **Product datasheet for TA365463S**

## **UBE2D3 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human fetal liver tissue,293T,NIH/3T3 and Hela cell lysates

IHC: 25-100

Positive control: Human lung cancer

Predicted cell location: Nucleus and Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Full length fusion protein

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 17 kDa

**Gene Name:** ubiquitin conjugating enzyme E2 D3

Database Link: Entrez Gene 7323 Human

P61077



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme functions in the ubiquitination of the tumor-suppressor protein p53, which is induced by an E3 ubiquitin-protein ligase. Multiple spliced transcript variants have been found for this gene, but the full-length nature of some variants has not been determined.


Synonyms:

E2(17)KB3; MGC5416; MGC43926; UBC4/5; UBCH5C

## **Product images:**




Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-4: Human fetal liver tissue
293T
NIH/3T3 and Hela cell lysates
Primary antibody: [TA365463] (UBE2D3 Antibody)
at dilution 1/200
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA365463] (UBE2D3 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA365463] (UBE2D3 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA365463] (UBE2D3 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA365463] (UBE2D3 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)