

# **Product datasheet for TA365464S**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## UBE2V1 (TMEM189-UBE2V1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: HT-29 cell, Human fetal brain tissue, 293T cell, Mouse spleen tissue and

Human spleen tissue lysates

IHC: 30-150

Positive control: Human esophagus cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Full length fusion protein

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 16 kDa

Gene Name: TMEM189-UBE2V1 readthrough

Database Link: Entrez Gene 387522 Human


Q13404



#### Background:


Ubiquitin-conjugating E2 enzyme variant proteins constitute a distinct subfamily within the E2 protein family. They have sequence similarity to other ubiquitin-conjugating enzymes but lack the conserved cysteine residue that is critical for the catalytic activity of E2s. The protein encoded by this gene is located in the nucleus and can cause transcriptional activation of the human FOS proto-oncogene. It is thought to be involved in the control of differentiation by altering cell cycle behavior. Alternatively spliced transcript variants encoding multiple isoforms have been described for this gene, and multiple pseudogenes of this gene have been identified. Co-transcription of this gene and the neighboring upstream gene generates a rare transcript (Kua-UEV), which encodes a fusion protein comprised of sequence sharing identity with each individual gene product.

### **Product images:**




Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-5: HT-29 cell
Human fetal brain tissue
293T cell
Mouse spleen tissue and Human spleen tissue
lysates
Primary antibody: [TA365464] (UBE2V1 Antibody)
at dilution 1/400
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution

Exposure time: 1 minute




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA365464] (UBE2V1 Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA365464] (UBE2V1 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA365464] (UBE2V1 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA365464] (UBE2V1 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)