

## **Product datasheet for TA365535**

## **BTF3L4 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Hela cell lysate

IHC: 25-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Full length fusion protein

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 17 kDa

**Gene Name:** basic transcription factor 3-like 4

Database Link: Entrez Gene 91408 Human

Q96K17

**Background:** The function of this protein remains unknown.

**Synonyms:** MGC23908; MGC88389; OTTHUMP00000010515; RP4-800M22.5


**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 µg Lane: Hela cell lysate


Primary antibody: TA365535 (BTF3L4 Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 90 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA365535 (BTF3L4 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA365535 (BTF3L4 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA365535 (BTF3L4 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA365535 (BTF3L4 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)