

## **Product datasheet for TA365539S**

## i roddet datasneet for 17505555

# **BUD31 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Raji□231 and PC-3 cell□Mouse heart tissue□Mouse brain tissue□Human

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

testis tissue lysates

IHC: 30-150

Positive control: Human ovarian cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Full length fusion protein

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 17 kDa

Gene Name: BUD31 homolog

**Database Link:** Entrez Gene 8896 Human

P41223






#### Background:

BUD31 (Protein G10 homolog, EDG-2) is a 144 amino acid protein encoded by the human gene BUD31. BUD31 is a nuclear protein that belongs to the BUD31 (G10) family. BUD31 is found on chromosome 7 which is about 158 milllion bases long, encodes over 1,000 genes and makes up about 5% of the human genome. Chromosome 7 has been linked to osteogenesis imperfecta, Pendred syndrome, lissencephaly, citrullinemia and Shwachman-Diamond syndrome. The deletion of a portion of the long (q) arm of human chromosome 7 is associated with Williams-Beuren syndrome, a condition characterized by mild mental retardation, an unusual comfort and friendliness with strangers and an elfin appearance. Deletions of portions of the q arm of chromosome 7 are also seen in a number of myeloid disorders including cases of acute myelogenous leukemia and myelodysplasia.


Synonyms:

EDG-2; EDG2; fSAP17; G10; MGC111202; YCR063W

## **Product images:**




Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-6: Raji
231 and PC-3 cell
Mouse heart tissue
Mouse brain tissue
Human testis tissue lysates
Primary antibody: [TA365539] (BUD31 Antibody)
at dilution 1/450
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA365539] (BUD31 Antibody) at dilution 1/45 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA365539] (BUD31 Antibody) at dilution 1/45, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA365539] (BUD31 Antibody) at dilution 1/45 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA365539] (BUD31 Antibody) at dilution 1/45, treated with fusion protein. (Original magnification: ×200)