

Product datasheet for TA365781S

INT11 (CPSF3L) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human ovarian cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human INTS11

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: cleavage and polyadenylation specific factor 3-like

Database Link: Entrez Gene 54973 Human

Q5TA45

Background: The Integrator complex contains at least 12 subunits and associates with the C-terminal

domain of RNA polymerase II large subunit (POLR2A; MIM 180660) and mediates the 3-prime end processing of small nuclear RNAs U1 (RNU1; MIM 180680) and U2 (RNU2; MIM 180690). INTS11, or CPSF3L, is the catalytic subunit of the Integrator complex (Baillat et al., 2005

[PubMed 16239144]).[supplied by OMIM, Mar 2008]

Synonyms: CPSF73L; FLJ13294; FLJ20542; Int11; INTS11; RC-68; RC68




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA365781] (INTS11 Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA365781] (INTS11 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA365781] (INTS11 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA365781] (INTS11 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)