

Product datasheet for **TA365842S**

Fumarylacetoacetate hydrolase (FAH) Rabbit Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Human liver tissue lysate IHC: 50-300 Positive control: Human ovarian cancer Predicted cell location: Cytoplasm and Nucleus
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human FAH
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	46 kDa
Gene Name:	fumarylacetoacetate hydrolase (fumarylacetoacetase)
Database Link:	Entrez Gene 2184 Human P16930
Background:	This gene encodes the last enzyme in the tyrosine catabolism pathway. FAH deficiency is associated with Type 1 hereditary tyrosinemia (HT).
Synonyms:	Beta-diketonase; FAA; fumarylacetoacetase; OTTHUMP00000185572




[View online »](#)


Product images:



Gel: 8%SDS-PAGE
Lysate: 40 μ g
Lane: Human liver tissue lysate
Primary antibody: [TA365842] (FAH Antibody) at dilution 1/700
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 30 seconds



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA365842] (FAH Antibody) at dilution 1/40 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA365842] (FAH Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)