

## **Product datasheet for TA365895**

## Acyloxyacyl Hydrolase (AOAH) Rabbit Polyclonal Antibody

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 30-150

Positive control: Human thyroid cancer

Predicted cell location: Secreted

**Reactivity:** Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human AOAH

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: acyloxyacyl hydrolase

Database Link: Entrez Gene 313 Human

P28039

**Background:** This locus encodes both the light and heavy subunits of acyloxyacyl hydrolase. The encoded

enzyme catalyzes the hydrolysis of acyloxylacyl-linked fatty acyl chains from bacterial

lipopolysaccharides, effectively detoxifying these molecules. The encoded protein may play a role in modulating host inflammatory response to gram-negative bacteria. Alternatively

spliced transcript variants have been described.

Synonyms: AOAH




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA365895 (AOAH Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA365895 (AOAH Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA365895 (AOAH Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA365895 (AOAH Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)