

## **Product datasheet for TA365898**

# **HSPA2** Rabbit Polyclonal Antibody

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse brain tissue, Human cerebrum tissue, NIH/3T3 cell, A549 cell,

Jurkat cell, Hela cell and 231 cell lysates

IHC: 30-150

Positive control: Human ovarian cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Rabbit Host: Isotype: lgG

Clonality: Polyclonal

Immunogen: Fusion protein of human HSPA2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year **Predicted Protein Size:** 70 kDa

Gene Name: heat shock protein family A (Hsp70) member 2

Database Link: Entrez Gene 3306 Human

P54652



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### Background:

In cooperation with other chaperones, Hsp70s stabilize preexistent proteins against aggregation and mediate the folding of newly translated polypeptides in the cytosol as well as within organelles. These chaperones participate in all these processes through their ability to recognize nonnative conformations of other proteins. They bind extended peptide segments with a net hydrophobic character exposed by polypeptides during translation and membrane translocation, or following stress-induced damage. Plays a role in spermatogenesis. In association with SHCBP1L may participate in the maintenance of spindle integrity during meiosis in male germ cells.

Synonyms:

HSP70-2; HSP70-3; OTTHUMP00000180664

### **Product images:**




Lysate: 40 µg Lane 1-7: Mouse brain tissue Human cerebrum tissue NIH/3T3 cell A549 cell Jurkat cell Hela cell and 231 cell lysates Primary antibody: TA365898 (HSPA2 Antibody) at dilution 1/250

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution Exposure time: 5 seconds

Gel: 8%SDS-PAGE



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA365898 (HSPA2 Antibody) at dilution 1/20 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA365898 (HSPA2 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)