

Product datasheet for **TA365903S**

Transcription factor 25 (TCF25) Rabbit Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Hela cell, Jurkat cell, NIH/3T3 cell, Human fetal brain tissue, 293T cell, K562 cell lysates IHC: 40-200 Positive control: Human esophagus cancer Predicted cell location: Nucleus
Reactivity:	Human, Mouse
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human TCF25
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	77 kDa
Gene Name:	transcription factor 25
Database Link:	Entrez Gene 22980 Human Q9BQ70
Background:	May play a role in cell death control. Acts as a transcriptional repressor. Has been shown to repress transcription of SRF in vitro and so may play a role in heart development.
Synonyms:	FKSG26; hKIAA1049; Hulp1; KIAA1049; NULP1; PRO2620




[View online »](#)


Product images:




Gel: 8%SDS-PAGE
 Lysate: 40 µg
 Lane 1-6: HeLa cell
 Jurkat cell
 NIH/3T3 cell
 Human fetal brain tissue
 293T cell
 K562 cell lysates
 Primary antibody: [TA365903] (TCF25 Antibody) at dilution 1/250
 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
 Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA365903] (TCF25 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA365903] (TCF25 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA365903] (TCF25 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA365903] (TCF25 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)