

## **Product datasheet for TA365973S**

# RAB7L1 (RAB29) Rabbit Polyclonal Antibody

### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse kidney tissue, Rat kidney tissue lysates

IHC: 100-300

Positive control: Human prostate cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human RAB29

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 23 kDa

**Gene Name:** RAB29, member RAS oncogene family

Database Link: Entrez Gene 8934 Human

O14966



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### Background:


The small GTPases Rab are key regulators in vesicle trafficking (PubMed:24788816). Essential for maintaining the integrity of the endosome-trans-Golgi network structure (By similarity). Together with LRRK2, plays a role in the retrograde trafficking pathway for recycling proteins, such as mannose 6 phosphate receptor (M6PR), between lysosomes and the Golgi apparatus in a retromer-dependent manner (PubMed:24788816). Recruits LRRK2 to the Golgi complex and stimulates LRRK2 kinase activity (PubMed:29212815). Regulates neuronal process morphology in the intact central nervous system (CNS) (By similarity). May play a role in the formation of typhoid toxin transport intermediates during Salmonella enterica serovar Typhi (S.Typhi) epithelial cell infection (PubMed:22042847).

## **Product images:**




Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-2: Mouse kidney tissue Rat kidney tissue lysates Primary antibody: [TA365973] (RAB29 Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution

Exposure time: 3 minutes




Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA365973] (RAB29 Antibody) at dilution 1/100 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA365973] (RAB29 Antibody) at dilution 1/100, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA365973] (RAB29 Antibody) at dilution 1/100 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA365973] (RAB29 Antibody) at dilution 1/100, treated with fusion protein. (Original magnification: ×200)