

Product datasheet for TA366049S

SGT1 (ECD) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Jurkat and PC3 cell lysates

IHC: 25-100

Positive control: Human cervical cancer Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human ECD

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 73 kDa

Gene Name: ecdysoneless cell cycle regulator

Database Link: Entrez Gene 11319 Human

<u>095905</u>

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






Background:

Regulator of p53/TP53 stability and function. Inhibits MDM2-mediated degradation of p53/TP53 possibly by cooperating in part with TXNIP (PubMed:16849563, PubMed:23880345). May be involved transcriptional regulation. In vitro has intrinsic transactivation activity enhanced by EP300. May be a transcriptional activator required for the expression of glycolytic genes (PubMed:19919181, PubMed:9928932). Involved in regulation of cell cycle progression. Proposed to disrupt Rb-E2F binding leading to transcriptional activation of E2F proteins (PubMed:19640839). The cell cycle -regulating function may depend on its RUVBL1-mediated association with the R2TP complex (PubMed:26711270). May play a role in regulation of pre-mRNA splicing (PubMed:24722212).

Synonyms:

GCR2; hSGT1; SGT1

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane 1-2: Jurkat and PC3 cell lysates


Primary antibody: [TA366049] (ECD Antibody) at

dilution 1/250


Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution


Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA366049] (ECD Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA366049] (ECD Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA366049] (ECD Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA366049] (ECD Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)