

## **Product datasheet for TA366073**

## **RBM10 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 30-150

Positive control: Human esophagus cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human RBM10

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: RNA binding motif protein 10

Database Link: Entrez Gene 8241 Human

P98175

**Background:** This gene encodes a nuclear protein that belongs to a family proteins that contain an RNA-

binding motif. The encoded protein associates with hnRNP proteins and may be involved in regulating alternative splicing. Defects in this gene are the cause of the X-linked recessive

disorder, TARP syndrome. Alternate splicing results in multiple transcript variants.

**Synonyms:** DXS8237E; GPATC9; GPATCH9; KIAA0122; MGC997; MGC1132; S1-1; ZRANB5




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA366073 (RBM10 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA366073 (RBM10 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA366073 (RBM10 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA366073 (RBM10 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)