

Product datasheet for **TA366172**

Glutathione S Transferase kappa 1 (GSTK1) Rabbit Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: 293T, HepG2, K562, HT29, A549 and Raji cell lysates IHC: 50-300 Positive control: Human brain Predicted cell location: Cytoplasm
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human GSTK1
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	25 kDa
Gene Name:	glutathione S-transferase kappa 1
Database Link:	Entrez Gene 373156 Human Q9Y2Q3
Background:	This gene encodes a member of the kappa class of the glutathione transferase superfamily of enzymes that function in cellular detoxification. The encoded protein is localized to the peroxisome and catalyzes the conjugation of glutathione to a wide range of hydrophobic substrates facilitating the removal of these compounds from cells. Alternative splicing results in multiple transcript variants.
Synonyms:	GST; GST13; GST13-13; GSTK1-1; hGSTK1




[View online »](#)


Product images:



Gel: 8%SDS-PAGE
Lysate: 40 μ g
Lane 1-6: 293T
HepG2
K562
HT29
A549 and Raji cell lysates
Primary antibody: TA366172 (GSTK1 Antibody) at dilution 1/250
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human brain tissue using TA366172 (GSTK1 Antibody) at dilution 1/50 (Original magnification: \times 200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA366172 (GSTK1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)