

Product datasheet for TA366183

KCNIP4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human cerebrum tissue, Rat brain tissue lysates

IHC: 100-200

Positive control: Human esophagus cancer

Predicted cell location: Cell membrane or Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human KCNIP4

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 29 kDa

Gene Name: potassium voltage-gated channel interacting protein 4

Database Link: Entrez Gene 80333 Human

Q6PIL6



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a member of the family of voltage-gated potassium (Kv) channel-interacting proteins (KCNIPs), which belong to the recoverin branch of the EF-hand superfamily. Members of the KCNIP family are small calcium binding proteins. They all have EF-hand-like domains, and differ from each other in the N-terminus. They are integral subunit components of native Kv4 channel complexes. They may regulate A-type currents, and hence neuronal excitability, in response to changes in intracellular calcium. This protein member also interacts with presenilin. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene.

Synonyms: CALP; KCHIP4; MGC44947

Product images:



Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-2: Human cerebrum tissue

Pat brain tissue lysates

Rat brain tissue lysates


Primary antibody: TA366183 (KCNIP4 Antibody) at

dilution 1/900

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 30 seconds




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA366183 (KCNIP4 Antibody) at dilution 1/120 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA366183 (KCNIP4 Antibody) at dilution 1/120, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA366183 (KCNIP4 Antibody) at dilution 1/120 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA366183 (KCNIP4 Antibody) at dilution 1/120, treated with fusion protein. (Original magnification: ×200)