

## **Product datasheet for TA366201**

## **POLR3F Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: HepG2, Hela and PC-3 cell lysates

IHC: 50-300

Positive control: Human lung cancer

Predicted cell location: Nucleus or Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Fusion protein of human POLR3F

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 36 kDa

**Gene Name:** polymerase (RNA) III subunit F

Database Link: Entrez Gene 10621 Human

Q9H1D9

**Background:** The protein encoded by this gene is one of more than a dozen subunits forming eukaryotic

RNA polymerase III (RNA Pol III), which transcribes 5S ribosomal RNA and tRNA genes. This protein has been shown to bind both TFIIIB90 and TBP, two subunits of RNA polymerase III transcription initiation factor IIIB (TFIIIB). Unlike most of the other RNA Pol III subunits, the encoded protein is unique to this polymerase. Alternative splicing results in multiple

transcript variants.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:

MGC13517; RPC6; RPC39

## **Product images:**




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-3: HepG2 Hela and PC-3 cell lysates Primary antibody: TA366201 (POLR3F Antibody) at dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 25 seconds




Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA366201 (POLR3F Antibody) at dilution 1/50 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA366201 (POLR3F Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA366201 (POLR3F Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA366201 (POLR3F Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)