

Product datasheet for TA366321S

SORBS2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: 231, A549 and LO2 cell lysates

IHC: 150-300

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human SORBS2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 124 kDa

Gene Name: sorbin and SH3 domain containing 2

Database Link: Entrez Gene 8470 Human

O94875

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






Background:

Arg and c-Abl represent the mammalian members of the Abelson family of non-receptor protein-tyrosine kinases. They interact with the Arg/Abl binding proteins via the SH3 domains present in the carboxy end of the latter group of proteins. This gene encodes the sorbin and SH3 domain containing 2 protein. It has three C-terminal SH3 domains and an N-terminal sorbin homology (SoHo) domain that interacts with lipid raft proteins. The subcellular localization of this protein in epithelial and cardiac muscle cells suggests that it functions as an adapter protein to assemble signaling complexes in stress fibers, and that it is a potential link between Abl family kinases and the actin cytoskeleton. Alternative splicing results in multiple transcript variants encoding different isoforms.


Synonyms:

ARGBP2; FLJ93447; KIAA0777; OTTHUMP00000211726; PRO0618; Sorbin

Product images:




Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-3: 231 A549 and LO2 cell lysates Primary antibody: [TA366321] (SORBS2 Antibody) at dilution 1/1350 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA366321] (SORBS2 Antibody) at dilution 1/160 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA366321] (SORBS2 Antibody) at dilution 1/160, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA366321] (SORBS2 Antibody) at dilution 1/160 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA366321] (SORBS2 Antibody) at dilution 1/160, treated with fusion protein. (Original magnification: ×200)