

## **Product datasheet for TA366362**

## HRSP12 (RIDA) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse liver tissue and Mouse kidney tissue lysates

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human RIDA

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 14 kDa

**Gene Name:** reactive intermediate imine deaminase A homolog

Database Link: Entrez Gene 10247 Human

P52758



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## Background:

Catalyzes the hydrolytic deamination of enamine/imine intermediates that form during the course of normal metabolism. May facilitate the release of ammonia from these potentially toxic reactive metabolites, reducing their impact on cellular components. It may act on enamine/imine intermediates formed by several types of pyridoxal-5'-phosphate-dependent dehydratases including L-threonine dehydratase. May also function as an endoribonuclease, cleaving mRNA phosphodiester bonds of single-stranded RNA (By similarity). Thereby, may inhibit protein translation (PubMed:8973653).

## **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 μg

Lane 1-2: Mouse liver tissue and Mouse kidney tissue lysates


Primary antibody: TA366362 (RIDA Antibody) at

dilution 1/650

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA366362 (RIDA Antibody) at dilution 1/70 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA366362 (RIDA Antibody) at dilution 1/70, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA366362 (RIDA Antibody) at dilution 1/70 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA366362 (RIDA Antibody) at dilution 1/70, treated with fusion protein. (Original magnification: ×200)