

Product datasheet for **TA366401S**

NFS1 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 1000-5000 WB positive control: HepG2 cell, Hela cell, Mouse kidney tissue, K562 cell lysates IHC: 100-200 Positive control: Human esophagus cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human NFS1
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	50 kDa
Gene Name:	NFS1 cysteine desulfurase
Database Link:	Entrez Gene 9054 Human Q9Y697


Background: Iron-sulfur clusters are required for the function of many cellular enzymes. The proteins encoded by this gene supply inorganic sulfur to these clusters by removing the sulfur from cysteine, creating alanine in the process. This gene uses alternate in-frame translation initiation sites to generate mitochondrial forms and cytoplasmic/nuclear forms. Selection of the alternative initiation sites is determined by the cytosolic pH. The encoded proteins belong to the class-V family of pyridoxal phosphate-dependent aminotransferases. Alternatively spliced transcript variants have been described.




[View online »](#)

Synonyms: HUSSY-08; Isc5; NIFS


Product images:



Gel: 8%SDS-PAGE
 Lysate: 40 µg
 Lane 1-4: HepG2 cell
 Hela cell
 Mouse kidney tissue
 K562 cell lysates
 Primary antibody: [TA366401] (NFS1 Antibody) at dilution 1/800
 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution
 Exposure time: 30 seconds



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA366401] (NFS1 Antibody) at dilution 1/100 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA366401] (NFS1 Antibody) at dilution 1/100, treated with fusion protein. (Original magnification: $\times 200$)