

Product datasheet for TA366422S

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PPIC Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse small intestines tissue, Mouse kidney tissue, Mouse pancreas

tissue lysates IHC: 50-100

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human PPIC

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 23 kDa

Gene Name: peptidylprolyl isomerase C

Database Link: Entrez Gene 5480 Human

P45877

Background: The protein encoded by this gene is a member of the peptidyl-prolyl cis-trans isomerase

(PPlase)) family. PPlases catalyze the cis-trans isomerization of proline imidic peptide bonds in oligopeptides and accelerate the folding of proteins. Similar to other PPlases, this protein can


bind immunosuppressant cyclosporin A.

Synonyms: CYPC; MGC3673; parvulin; PPlase; Rotamase






Product images:






Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-3: Mouse small intestines tissue
Mouse kidney tissue
Mouse pancreas tissue lysates
Primary antibody: [TA366422] (PPIC Antibody) at
dilution 1/550
Secondary antibody: Goat anti rabbit IgG at
1/5000 dilution
Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA366422] (PPIC Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA366422] (PPIC Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA366422] (PPIC Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA366422] (PPIC Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)