

# Product datasheet for TA366464S

## Troponin T1 (TNNT1) Rabbit Polyclonal Antibody

## **Product data:**

#### **Product Type: Primary Antibodies Applications:** IHC, WB Recommended Dilution: WB: 500-2000 WB positive control: Mouse skeletal muscle tissue lysate IHC: 25-50 Positive control: Human prostate cancer Predicted cell location: Cytoplasm **Reactivity:** Human, Mouse Host: Rabbit Isotype: lgG **Clonality:** Polyclonal Immunogen: Fusion protein of human TNNT1 Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol **Purification:** Antigen affinity purification **Conjugation:** Unconjugated Store at -20°C. Storage: Stability: 1 year **Predicted Protein Size:** 33 kDa Gene Name: troponin T1, slow skeletal type Database Link: Entrez Gene 7138 Human P13805

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


## **CRIGENE** Troponin T1 (TNNT1) Rabbit Polyclonal Antibody – TA366464S

Background:This gene encodes a protein that is a subunit of troponin, which is a regulatory complex<br/>located on the thin filament of the sarcomere. This complex regulates striated muscle<br/>contraction in response to fluctuations in intracellular calcium concentration. This complex is<br/>composed of three subunits: troponin C, which binds calcium, troponin T, which binds<br/>tropomyosin, and troponin I, which is an inhibitory subunit. This protein is the slow skeletal<br/>troponin T subunit. Mutations in this gene cause nemaline myopathy type 5, also known as<br/>Amish nemaline myopathy, a neuromuscular disorder characterized by muscle weakness and<br/>rod-shaped, or nemaline, inclusions in skeletal muscle fibers which affects infants, resulting<br/>in death due to respiratory insufficiency, usually in the second year. Multiple transcript<br/>variants encoding different isoforms have been found for this gene.


Synonyms:

ANM; FLJ98147; MGC104241; STNT; TNT; TNTS

## **Product images:**




Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Mouse skeletal muscle tissue lysate Primary antibody: [TA366464] (TNNT1 Antibody) at dilution 1/550 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA366464] (TNNT1 Antibody) at dilution 1/35 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA366464] (TNNT1 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA366464] (TNNT1 Antibody) at dilution 1/35 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA366464] (TNNT1 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US