

## **Product datasheet for TA366488S**

## **EPCAM Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: HT-29 cell lysate

IHC: 50-200

Positive control: Human thyroid cancer Predicted cell location: Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human EPCAM

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 35 kDa

**Gene Name:** epithelial cell adhesion molecule

Database Link: Entrez Gene 4072 Human

P16422

**Background:** This gene encodes a carcinoma-associated antigen and is a member of a family that includes

at least two type I membrane proteins. This antigen is expressed on most normal epithelial cells and gastrointestinal carcinomas and functions as a homotypic calcium-independent cell adhesion molecule. The antigen is being used as a target for immunotherapy treatment of

human carcinomas. Mutations in this gene result in congenital tufting enteropathy.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:

17-1A; 323/A3; CD326; CO-17A; CO17-1A; EGP; EGP-2; EGP34; EGP40; EGP314; Ep-CAM; ESA; GA733-2; HEA125; hEGP-2; hEGP314; KS1/4; KSA; Ly74; M1S2; M4S1; MH99; MIC18; MK-1; MOC31; TACST-1; TACSTD1; TROP1

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 µg

Lane: HT-29 cell lysate


Primary antibody: [TA366488] (EPCAM Antibody)

at dilution 1/650

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 30 seconds




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA366488] (EPCAM Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA366488] (EPCAM Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA366488] (EPCAM Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA366488] (EPCAM Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)