

Product datasheet for TA366563

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

ISYNA1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 293T, K562, TM4 cell, Mouse testis tissue, SKOV3, HepG2 cell lysates

IHC: 50-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human ISYNA1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 61 kDa

Gene Name: inositol-3-phosphate synthase 1

Database Link: Entrez Gene 51477 Human

Q9NPH2

Background: This gene encodes an inositol-3-phosphate synthase enzyme. The encoded protein plays a

critical role in the myo-inositol biosynthesis pathway by catalyzing the rate-limiting conversion of glucose 6-phosphate to myoinositol 1-phosphate. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a


pseudogene of this gene is located on the short arm of chromosome 4.


Synonyms: hINO1; hIPS; Ino1; INOS; IPS





Product images:






Lysate: 40 µg
Lane 1-6: 293T
K562
TM4 cell
Mouse testis tissue
SKOV3
HepG2 cell lysates
Primary antibody: TA366563 (ISYNA1 Antibody) at dilution 1/400
Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution
Exposure time: 1 minute

Gel: 8%SDS-PAGE

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA366563 (ISYNA1 Antibody) at dilution 1/55 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA366563 (ISYNA1 Antibody) at dilution 1/55, treated with fusion protein. (Original magnification: ×200)