

Product datasheet for TA366635S

GSDMA Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: LO2 and 293T cell lysates

IHC: 100-200

Positive control: Human colorectal cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human GSDMA

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 49 kDa

Gene Name: gasdermin A

Database Link: Entrez Gene 284110 Human

Q96QA5

Background: May promote pyroptosis (Probable). Upon cleavage in vitro of genetically engineered GSDMA,

the released N-terminal moiety binds to some types of lipids, such as possibly

phosphatidylinositol (4,5)-bisphosphate. Homooligomerizes within the membrane and forms

pores of 10 -15 nanometers (nm) of inner diameter, triggering cell death. Also binds to bacterial and mitochondrial lipids, including cardiolipin, and exhibits bactericidal activity (PubMed:27281216). The physiological relevance of these observations is unknown

(Probable).



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:


FKSG9; FLJ39120; gasdermin; Gasdermin-1; GSDM; GSDM1; MGC129596

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: LO2 and 293T cell lysates Primary antibody: [TA366635] (GSDMA Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution

Exposure time: 5 minutes




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA366635] (GSDMA Antibody) at dilution 1/115 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA366635] (GSDMA Antibody) at dilution 1/115, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA366635] (GSDMA Antibody) at dilution 1/115 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA366635] (GSDMA Antibody) at dilution 1/115, treated with fusion protein. (Original magnification: ×200)