

Product datasheet for **TA366700S**


Plasmolipin (PLL) Rabbit Polyclonal Antibody

Product data:


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Mouse kidney tissue, TM4 cell lysates IHC: 50-100 Positive control: Human gastric cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human PLLP
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	20 kDa
Gene Name:	plasmolipin
Database Link:	Entrez Gene 51090 Human Q9Y342
Background:	Appears to be involved in myelination. Could also participate in ion transport events as addition of plasmolipin to lipid bilayers induces the formation of ion channels, which are voltage-dependent and K ⁺ -selective (By similarity).
Synonyms:	plasmolipin; PMLP; TM4SF11




[View online »](#)

Product images:


Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-2: Mouse kidney tissue
TM4 cell lysates
Primary antibody: [TA366700] (PLL Antibody) at
dilution 1/800
Secondary antibody: Goat anti rabbit IgG at
1/5000 dilution
Exposure time: 2 minutes




Immunohistochemistry of paraffin-embedded
Human gastric cancer tissue using [TA366700]
(PLL Antibody) at dilution 1/60 (Original
magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA366700] (PLL Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA366700] (PLL Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA366700] (PLL Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)