

Product datasheet for TA366827

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Peroxiredoxin 2 (PRDX2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 293T, hela and PC3 cells, human liver cancer tissue

IHC: 100-300

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human PRDX2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 22 kDa

Gene Name: peroxiredoxin 2

Database Link: Entrez Gene 7001 Human

P32119



Background:

This gene encodes a member of the peroxiredoxin family of antioxidant enzymes, which reduce hydrogen peroxide and alkyl hydroperoxides. The encoded protein plays an antioxidant protective role in cells, and it may contribute to the antiviral activity of CD8(+) T-cells. The crystal structure of this protein has been resolved to 2.7 angstroms. This protein prevents hemolytic anemia from oxidative stress by stabilizing hemoglobin, thus making this gene a therapeutic target for patients with hemolytic anemia. This protein may have a proliferative effect and play a role in cancer development or progression. Related pseudogenes have been identified on chromosomes 5, 6, 10 and 13.

Synonyms:

MGC4104; NKEF-B; NKEFB; PRP; PRX2; PRXII; TDPX1; torin; TSA

Product images:



Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-4: 293T cells hela cells PC3 cells

human liver cancer tissue


Primary antibody: TA366827 (PRDX2 Antibody) at

dilution 1/750

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA366827 (PRDX2 Antibody) at dilution 1/80 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA366827 (PRDX2 Antibody) at dilution 1/80, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA366827 (PRDX2 Antibody) at dilution 1/80 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA366827 (PRDX2 Antibody) at dilution 1/80, treated with synthetic peptide. (Original magnification: ×200)