

Product datasheet for TA366852S

BCAR1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human BCAR1Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: BCAR1, Cas family scaffolding protein

Database Link: Entrez Gene 9564 Human

P56945

Background: BCAR1, or CAS, is an Src (MIM 190090) family kinase substrate involved in various cellular

events, including migration, survival, transformation, and invasion. The molecular cloning of p130 Cas has shown it to represent a novel SH3 containing signaling molecule with a cluster of multiple putative SH2-binding motifs for v-Crk. By immunoprecipitation analysis, p130 Cas has been shown to be highly phosphorylated at tyrosine residues subsequent to either v-Src p60 or v-Crk-mediated transformation and to form stable complexes with both of these transforming proteins. p130 Cas behaves as an extremely potent substrate for protein tyrosine kinases and has been reported to relocate from the cytoplasm to cell membrane upon tyrosine phosphorylation. One proposed model is that the SH2 domain of v-Crk

functions to activate c-Src kinase, which in turn phosphorylates p130 Cas.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

CAS; CAS1; CASS1; CRKAS; FLJ12176; FLJ45059; P130Cas

Product images:




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA366852] (BCAR1 Antibody) at dilution 1/15 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA366852] (BCAR1 Antibody) at dilution 1/15, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA366852] (BCAR1 Antibody) at dilution 1/15 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA366852] (BCAR1 Antibody) at dilution 1/15, treated with synthetic peptide. (Original magnification: ×200)