# Product datasheet for TA366922

## ZNF467 Rabbit Polyclonal Antibody

## Product data:

| | |
|---|---|
| **Product Type:** | Primary Antibodies |
| **Applications:** | IHC |
| **Recommended Dilution:** | IHC: 25-100<br>Positive control: Human liver cancer<br>Predicted cell location: Cytoplasm or Nucleus |
| **Reactivity:** | Human |
| **Host:** | Rabbit |
| **Isotype:** | IgG |
| **Clonality:** | Polyclonal |
| **Immunogen:** | Synthetic peptide of human ZNF467 |
| **Formulation:** | pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| **Concentration:** | lot specific |
| **Purification:** | Antigen affinity purification |
| **Conjugation:** | Unconjugated |
| **Storage:** | Store at -20°C. |
| **Stability:** | 1 year |
| **Gene Name:** | zinc finger protein 467 |
| **Database Link:** | Entrez Gene 168544 Human<br>Q7Z7K2 |
| **Background:** | Transcription factor that promotes adipocyte differentiation and suppresses osteoblast differentiation in the bone marrow. Enhances the osteoclast-supporting ability of stromal cells. Binds with STAT3 the consensus sequence 5'-CTTCTGGGAAGA-3' of the acute phase response element (APRE). Transactivates several promoters including FOS, OSM and PPARG. Recruits a histone deacetylase complex (By similarity). |
| **Synonyms:** | EZI; Zfp467 |

View online »

## Product images:



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA366922 (ZNF467 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA366922 (ZNF467 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA366922 (ZNF467 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA366922 (ZNF467 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)