

Product datasheet for TA366982S

Bile salt activated lipase (CEL) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse pancreas tissue

IHC: 50-200

Positive control: Human cervical cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CEL

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 79 kDa

Gene Name: carboxyl ester lipase

Database Link: Entrez Gene 1056 Human

P19835

Background: The protein encoded by this gene is a glycoprotein secreted from the pancreas into the

digestive tract and from the lactating mammary gland into human milk. The physiological role of this protein is in cholesterol and lipid-soluble vitamin ester hydrolysis and absorption. This encoded protein promotes large chylomicron production in the intestine. Also its presence in plasma suggests its interactions with cholesterol and oxidized lipoproteins to modulate the progression of atherosclerosis. In pancreatic tumoral cells, this encoded protein is thought to

be sequestrated within the Golgi compartment and is probably not secreted.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:

BAL; BSDL; BSSL; Bucelipase; CEase; CELL; FAP; FAPP; LIPA; MODY8

Product images:



Gel: 6%SDS-PAGE Lysate: 40 μg

Lane: Mouse pancreas tissue


Primary antibody: [TA366982] (CEL Antibody) at

dilution 1/500

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA366982] (CEL Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA366982] (CEL Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA366982] (CEL Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA366982] (CEL Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)