

Product datasheet for TA366998

NCR2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human NCR2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: natural cytotoxicity triggering receptor 2

Database Link: Entrez Gene 9436 Human

<u>095944</u>

Background: Natural cytotoxicity triggering receptor 2 is a protein that in humans is encoded by

the NCR2 gene. NCR2 has also been designated as CD336 (cluster of differentiation 336). NKp44 is a natural cytotoxicity receptor that is expressed on IL-2-activated human NK cells and may contribute to the increased efficiency of NK cells to mediate tumor cell lysis. NKp44

is composed of one Ig-like extracellular domain, a transmembrane segment, and a cytoplasmic domain. Prolactin up-regulates and cortisol down-regulates the surface expression of NKp44 at the transcriptional level. A cellular ligand for NKp44 (NKp44L) is expressed during HIV-1 infection and is correlated with the progression of CD4+ T cell

depletion and an increase of viral load.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

CD336; dJ149M18.1; LY95; NK-p44; NKp44

Product images:




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA366998 (NCR2 Antibody) at dilution 1/60 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA366998 (NCR2 Antibody) at dilution 1/60, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using TA366998 (NCR2 Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA366998 (NCR2 Antibody) at dilution 1/60, treated with synthetic peptide. (Original magnification: ×200)