

Product datasheet for TA367002S

CD57 (B3GAT1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Mouse brain tissue

IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human B3GAT1
Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 38 kDa

Gene Name: beta-1,3-glucuronyltransferase 1

Database Link: Entrez Gene 27087 Human

Q9P2W7

Background: The protein encoded by this gene is a member of the glucuronyltransferase gene family.

These enzymes exhibit strict acceptor specificity, recognizing nonreducing terminal sugars and their anomeric linkages. This gene product functions as the key enzyme in a glucuronyl transfer reaction during the biosynthesis of the carbohydrate epitope HNK-1 (human natural killer-1, also known as CD57 and LEU7). Alternate transcriptional splice variants have been

characterized.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:

CD57; GlcAT-P; GlcUAT-P; GlcUATP; Glucuronosyltransferase-P; HNK-1; HNK1; LEU7; NK-1; NK1

Product images:



Gel: 10%SDS-PAGE Lysate: 40 μg

Lane: Mouse brain tissue


Primary antibody: [TA367002] (B3GAT1 Antibody)

at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA367002] (B3GAT1 Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA367002] (B3GAT1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA367002] (B3GAT1 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA367002] (B3GAT1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)