

Product datasheet for TA367056S

FLIP (CFLAR) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human CFLARFormulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: CASP8 and FADD like apoptosis regulator

Database Link: Entrez Gene 8837 Human

<u>O15519</u>

Background: The protein encoded by this gene is a regulator of apoptosis and is structurally similar to

caspase-8. However, the encoded protein lacks caspase activity and appears to be itself cleaved into two peptides by caspase-8. Several transcript variants encoding different isoforms have been found for this gene, and partial evidence for several more variants

exists.

Synonyms: c-FLIP; c-FLIPL; c-FLIPS; CASH; CASP8AP1; Casper; CLARP; FLAME; FLAME1; FLAME1;

FLIP; I-FLICE; MRIT; OTTHUMP00000207360; Usurpin




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367056] (CFLAR Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367056] (CFLAR Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA367056] (CFLAR Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA367056] (CFLAR Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)