

Product datasheet for TA367107S

IP3 receptor (ITPR1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human ITPR1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: inositol 1,4,5-trisphosphate receptor type 1

Database Link: Entrez Gene 3708 Human

Q14643

Background: This gene encodes an intracellular receptor for inositol 1,4,5-trisphosphate. Upon stimulation

by inositol 1,4,5-trisphosphate, this receptor mediates calcium release from the endoplasmic reticulum. Mutations in this gene cause spinocerebellar ataxia type 15, a disease associated with an heterogeneous group of cerebellar disorders. Multiple transcript variants have been

identified for this gene.

Synonyms: DKFZp313E1334; DKFZp313N1434; Insp3r1; IP3R; IP3R1; SCA15; SCA16




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA367107] (ITPR1 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA367107] (ITPR1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA367107] (ITPR1 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA367107] (ITPR1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)