

Product datasheet for TA367147S

NDUFA8 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: 293T cells

IHC: 50-200

Positive control: Human lung cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human NDUFA8Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 20 kDa

Gene Name: NADH:ubiquinone oxidoreductase subunit A8

Database Link: Entrez Gene 4702 Human

P51970

Background: The protein encoded by this gene belongs to the complex I 19 kDA subunit family.

Mammalian complex I is composed of 45 different subunits. This protein has NADH

dehydrogenase activity and oxidoreductase activity. It plays an important role in transfering electrons from NADH to the respiratory chain. The immediate electron acceptor for the

enzyme is believed to be ubiquinone.

Synonyms: CI-19KD; CI-PGIV; MGC793; PGIV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Gel: 10%SDS-PAGE Lysate: 40 µg Lane: 293T cells


Primary antibody: [TA367147] (NDUFA8 Antibody)

at dilution 1/300

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 5 minutes




Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA367147] (NDUFA8 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA367147] (NDUFA8 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA367147] (NDUFA8 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA367147] (NDUFA8 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)