

Product datasheet for **TA367275S**


SLIT3 Rabbit Polyclonal Antibody

Product data:


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Human bladder tissue lysate IHC: 50-200 Positive control: Human esophagus cancer Predicted cell location: Secreted
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human SLIT3
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	168 kDa
Gene Name:	slit guidance ligand 3
Database Link:	Entrez Gene 6586 Human O75094
Background:	The protein encoded by this gene is secreted, likely interacting with roundabout homolog receptors to effect cell migration. Two transcript variants encoding different isoforms have been found for this gene.
Synonyms:	FLJ10764; KIAA0814; MEGF5; SLIL2; Slit-3; SLIT1; slit2




[View online »](#)

Product images:


Gel: 6%SDS-PAGE
Lysate: 40 μ g
Lane: Human bladder tissue lysate
Primary antibody: [TA367275] (SLIT3 Antibody) at dilution 1/700
Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution
Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA367275] (SLIT3 Antibody) at dilution 1/50 (Original magnification: \times 200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA367275] (SLIT3 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA367275] (SLIT3 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA367275] (SLIT3 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)